

Work Order ID 72164

Tuesday, July 19, 2011 1:51:04 PM



Page 1

Item ID: D3564-5

Accept



Setup Start



Revision ID:

Item Name: Wearshoe

Stop



Start Date: 7/19/2011 Start Qty: 12.00



Cust Item ID:

Required Date: 7/25/2011 Req'd Qty: 12.00



Customer:

Reference:

Approvals:

Process Plan:

Date: 7-19-11

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D3564

Rev D

100

0.00



FLOW WATER JET

Waterjet

Memo

0.00

FLOW CNC Waterjet

1-Cut as per Dwg D3564 ☐ Dwg Rev: D ☐ Prog Rev: D ☐ 2-
Deburr if necessary

304 .063

B11-8-8

110

0.00



QC2- Inspect parts off machine FAI/FAIB

QC

Memo

0.00

Quality Control

B11-8-8

120

0.00



QC8- Inspect parts - second check

QC

Memo

0.00

Quality Control

Suloz/24

dl6

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			






NOTE: Date & initial all entries



Work Order ID 72164




Tuesday, July 19, 2011 1:51:04 PM



Page 2

Item ID: D3564-5 Accept  Setup Start 
Revision ID: Stop 
Item Name: Wearshoe
Start Date: 7/19/2011 Start Qty: 12.00  Cust Item ID:
Required Date: 7/25/2011 Req'd Qty: 12.00  Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start 
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop 

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130  Brake NC	NC BRAKE	0.00				(12)	8	11-08-12	
Brake NC	Memo Deburr if necessary <input type="checkbox"/> Form on Brake as per Dwg D3564 using Jigs DT8179 and DT8155 <input type="checkbox"/> Form Joggle as per Dwg D3564 on brake using Jig DT8157	0.00							
140  QC	QC5- Inspect part completeness to step on W/O	0.00				(412)			
Quality Control	Memo Ensure joggle as per dwg D3429	0.00							
150  Powdercoat	Grey Sandtex(Ref:4.3.5.6) per QSI005 4.3	0.00							
Powder Coating	Memo START TIME: 11:40 <input type="checkbox"/> OVEN TEMPERATURE: <input type="checkbox"/> FINISH TIME: 12:00	0.00							

M117338

3200F

12:00

12x ✓ M-11/08/15

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Tuesday, July 19, 2011 1:51:10 PM

Page 1

Work Order ID: 72164

Parent Item: D3564-5

Parent Item Name: Wearshoe





Start Date: 7/19/2011

Required Date: 7/25/2011

Start Qty: 12.00

Required Qty: 12.00

Comments: IPP Rev:A New Issue 07-03-08 ec
 IPP Rev:B As per Rev C 07-07-09 JLM
 IPP Rev:C As per Rev D 07-09-09 JLM Verified By:EC
 IPP Rev D added DT# 08.04.21 DD Verified by EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304S16GA 		Purchased	No			100	sf	222.7000	1.5	18.94737			
304/316 Sheet .063													

B11-8-8

Location	Loc Qty	Loc Code
MAT020	22.7	
117275	1.7	
117653	21	
MAT021	200	
118217	200	

118217

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order:	72164
Description: Wearshoe		Part Number:	D3564-5
Inspection Dwg: D3564	Rev: D	Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
43.50	+/-0.030	43.50	>		T HB01	
6.75	+/-0.030	6.75	>		T	
10.00	+/-0.030	10.00	>		T	
20.00	+/-0.030	20.00	>		T	
30.00	+/-0.030	30.00	>		T	
2.50	+/-0.030	2.50	>		V RB02	
3.227	+/-0.010	3.224	>		V	
38.500	+/-0.010	38.500	>		T	
5.500	+/-0.010	5.500	>		T	
2.50	+/-0.030	2.50	>		V	
2.432	+/-0.010	2.438	>		V	
0.300 x 0.300	+/-0.010	298 x 301	>		V	
Ø0.188	+0.005/-0.001	-189	>		V	
R0.375	+/-0.010	375	>		R.G.	
0.063	+/-0.010	0.058	>		V	

Measured by:	IB	Audited by:	S	Prototype Approval:	N/A
Date:	11-8-9	Date:	11/08/00	Date:	N/A

Rev	Date	Change	Revised by	Approved
A	08.01.16	New Issue	KJ/EC/DD	DS


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries



D3564-1F FLAT PATTERN



D3564-1 BENDING DETAIL
(MAKE FROM D3564-1F)



D3564-3 BENDING DETAIL
(MAKE FROM D3564-1F)

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO CHANGE
WITHOUT NOTICE
NO. 72164

PH 11-07-19
RELEASED
07.09.04

D3564-1/-3/-5/-7/-9/-11/-13/-15 WEARPLATE NOTES:

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 16 GAUGE (0.063 THICK)
(REF DART MATERIAL SPEC M304S16GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (REF 4.3.5.6) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: SEE TABLE IN ZONE A3
- 8) WELD PER DART QSI 004
- 9) SEE PG 3 FOR SECTIONS AND DETAILS
- 10) PARTS ARE SYMMETRIC ABOUT C

WEIGHTS:	
D3564-1	1.85 lbs
D3564-3	1.85 lbs
D3564-5	1.93 lbs
D3564-7	1.26 lbs
D3564-9	1.85 lbs
D3564-11	1.85 lbs
D3564-13	0.38 lbs
D3564-15	0.80 lbs

D	UPDATE DRAWING TEMPLATE; CHANGE ALL (TYP X PLS) TO (X PLACES); PG1 A8: UPDATE NOTES; PG1 A8, PG3 B5,C5: ADD D3564-15; PG1 B8,B3: D3564-1/-3 WAS ONE FIGURE; PG2 A7, A3: D3564-9/-11 WAS ONE FIGURE; PG2 A7, A3: D3564-9/-11 WAS ON PG1; PG3 B8,C8: D3564-13 WAS ON PG2; PG3 D2: WELDING DETAIL WAS ON PG1 PG3 A5,7,B2: RELOCATE DETAILS AND SECTION; PG3 A5,7,B2: INCREASE DETAIL AND SECTION SIZE	CB	07.08.21
C	MOVE TAB OUTBOARD, DETAIL A	PH	07.04.17
B	ADD AMS 5513 AND AMS 5524	PH	07.03.20
A	NEW ISSUE	PH	06.12.18
REV.	DESCRIPTION	BY	DATE
DESIGN	PH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	CB		
CHECKED	PH	DRAWING NO.	REV. D
MFG. APPR.	PH	D3564	SHEET 1 OF 3
APPROVED	PH	TITLE	SCALE
DE APPR.	PH	WEARSHOE	1:8
DATE	07.08.21	COPYRIGHT © 2006 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


8 7 6 5 4 3 2 1




D3564-5F FLAT PATTERN




D3564-5 BENDING DETAIL
(MAKE D3564-5 FROM D3564-5F)




D3564-9 BENDING DETAIL
(MAKE FROM D3564-1F)



D3564-7F FLAT PATTERN



D3564-7 BENDING DETAIL
(MAKE D3564-7 FROM D3564-7F)



D3564-11 BENDING DETAIL
(MAKE FROM D3564-1F)

RELEASED

07.09.04

DESIGN	PH	DART AEROSPACE LTD	
DRAWN	CB	HAWKESBURY, ONTARIO, CANADA	
CHECKED	PH	DRAWING NO.	REV. D
MFG. APPR.	PH	D3564	SHEET 2 OF 3
APPROVED	PH	TITLE	SCALE
DE APPR.	PH	WEARSHOE	1:8
DATE	07.08.21	COPYRIGHT © 2006 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

8 7 6 5 4 3 2 1

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


72164




D3564-13F FLAT PATTERN




D3564-13 BENDING DETAIL
(MAKE D3564-13 FROM D3564-13F)



D3564-15F FLAT PATTERN




D3564-15 BENDING DETAIL
(MAKE D3564-15 FROM D3564-15F)




DETAIL D
(D3564-15/3-9/-11 WELDING DETAIL)

RELEASED


07.09.04



SECTION C-C
SCALE 1:1



DETAIL A
SCALE 1:1



DETAIL B
SCALE 1:1

DESIGN	PH	DART AEROSPACE LTD	
DRAWN	CB	HAWKESBURY, ONTARIO, CANADA	
CHECKED	PH	DRAWING NO.	REV. D
MFG. APPR.	PH	D3564	SHEET 3 OF 3
APPROVED	PH	TITLE	SCALE
DE APPR.	PH	WEARSHOE	1:8
DATE	07.08.21	COPYRIGHT © 2005 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries